ELSEVIER

J. Biochem. Biophys. Methods 37 (1998) 167–168

JOURNAL OF
biochemical and
biophysical
methods

Author Index

An-Min, T., Yuan-Qing, H. and Song-Sheng, Q.
Determination of the respiratory burst of polymorphonuclear leukocytes by microcalorimetry (37) 91

Berglund, L., see Södergren, E. (37) 137
Bissen, S.T., see Thiel, T. (37) 117
Bobrovnik, S.A.
Determination of kinetic parameters for both reversible and irreversible first-order reactions (37) 53
Boysen, R.I., Erdmann, V.A. and Hearn, M.T.W.
Systematic, computer-assisted optimisation of the isolation of *Thermus thermophilus* 50S ribosomal proteins by reversed-phase high-performance liquid chromatography (37) 69

Chalmers, J.J., see Moore, L.R. (37) 11

Dietel, M., see Sinha, P. (37) 105

Ederhof, T., Walter, N.G. and Schober, A.
On-line polymerase chain reaction (PCR) monitoring (37) 99
Erceg, M., see Vidić, J. (37) 147
Erdmann, V.A., see Boysen, R.I. (37) 69

Fromm, M., see Gitter, A.H. (37) 35

Gallez, B. and Lambert, D.M.
Checking the integrity of albumin after pasteurisation: A fluorescent assay for quantitating monomeric albumin using anthroyloxy-fatty acids analogs (37) 5
Garbe, C., see Hipfel, R. (37) 131
Gitter, A.H., Fromm, M. and Schulzke, J.-D.
Impedance analysis for the determination of epithelial and subepithelial resistance in intestinal tissues (37) 35

Hearn, M.T.W., see Boysen, R.I. (37) 69

Hipfel, R., Garbe, C. and Schittek, B.
RNA isolation from human skin tissues for colorimetric differential display (37) 131
Hütter, G., see Sinha, P. (37) 105

Inouye, K., Kurokawa, M., Nishikawa, S. and Tsukada, M.
Use of *Bombyx mori* silk fibroin as a substratum for cultivation of animal cells (37) 159

Khan, M.M., Muzammil, S., Kumar, Y. and Tayyab, S.
Visualization of serum albumin on electrophoretic gels using the specific ligand bilirubin (37) 47

Köttgen, E., see Sinha, P. (37) 105
Kumar, Y., see Khan, M.M. (37) 47
Kurokawa, M., see Inouye, K. (37) 159

Lage, H., see Sinha, P. (37) 105
Lambert, D.M., see Gallez, B. (37) 5
Liczkowski, L., see Thiel, T. (37) 117

Manabe, T., see Shimazaki, Y. (37) 1
Moore, L.R., Zborowski, M., Sun, L. and Chalmers, J.J.
Lymphocyte fractionation using immunomagnetic colloid and a dipole magnet flow cell sorter (37) 11
Muzammil, S., see Khan, M.M. (37) 47

Nishikawa, S., see Inouye, K. (37) 159
Nourooz-Zadeh, J., see Södergren, E. (37) 137

Ohara, S., see Shimazaki, Y. (37) 1

Schadendorf, D., see Sinha, P. (37) 105
Schittek, B., see Hipfel, R. (37) 131
Schober, A., see Ederhof, T. (37) 99
Schulzke, J.-D., see Gitter, A.H. (37) 35

S0165-022X(98)00040-2

Shimazaki, Y., Ohara, S. and Manabe, T.
Removal of specific protein spots on the patterns of non-denaturing two-dimensional electrophoresis using protein A agarose and antibodies (37) 1
Sinha, P., Hütter, G., Köttgen, E., Dietel, M., Schadendorf, D. and Lage, H.
Increased expression of annexin I and thioredoxin detected by two-dimensional gel electrophoresis of drug resistant human stomach cancer cells (37) 105
Södergren, E., Nourooz-Zadeh, J., Berglund, L. and Vessby, B.
Re-evaluation of the ferrous oxidation in xylenol orange assay for the measurement of plasma lipid hydroperoxides (37) 137
Song-Sheng, Q., see An-Min, T. (37) 91
Sun, L., see Moore, L.R. (37) 11
Sužnjević, D., see Vidić, J. (37) 147

Tayyab, S., see Khan, M.M. (37) 47
Thiel, T., Liczkowski, L. and Bissen, S.T.
New zwitterionic butanesulfonic acids that extend the alkaline range of four families of good buffers: Evaluation for use in biological systems (37) 117
Tsukada, M., see Inouye, K. (37) 159

Vessby, B., see Södergren, E. (37) 137
Vidić, J., Sužnjević, D., Erceg, M. and Vučelić, D.
Polarographic investigation of β_2-microglobulin and ferritin thermal denaturation (37) 147
Vučelić, D., see Vidić, J. (37) 147

Walter, N.G., see Ederhof, T. (37) 99

Yuan-Qing, H., see An-Min, T. (37) 91

Zborowski, M., see Moore, L.R. (37) 11

ELSEVIER

J. Biochem. Biophys. Methods 37 (1998) 169

JOURNAL OF
biochemical and
biophysical
methods

Subject Index

Albumin, (1–2) 5
Alkaline phosphatase, (3) 117
Amino acid sequence homology, (1–2) 69
Animal cell, (3) 159
Automated N-terminal sequencing, (1–2) 69

Bilirubin, (1–2) 47
Bombyx mori, (3) 159

Cell culture, (3) 159
Chemoresistance, (3) 105
Collagen, (3) 159
Colorimetric detection, (3) 131
Computer-assisted method development, (1–2) 69
Continuous magnetic flow cell sorting, (1–2) 11

Daunorubicin, (3) 105
Denaturation, (1–2) 5
Differential display, (3) 131
Dropping mercury electrode, (3) 147

Electrophoresis, (1–2) 47
Enzyme assays, (3) 117
Esterase, (3) 117

Fatty acid, (1–2) 5
Ferritin, (3) 147
First-order reaction, (1–2) 53
Fluorescence, (1–2) 5

β-Galactosidase, (3) 117
Good buffers, (3) 117

HT-29 cells, (1–2) 35
Human serum albumin, (1–2) 47
Hydroperoxides, (3) 137

Immunoglobulin, (1–2) 1
Intestine, (1–2) 35
Ion permeability, (1–2) 35
Isolation and characterisation, (1–2) 69

Kinetics, (1–2) 53

Lipid peroxidation, (3) 137

α_2-Macroglobulin, (1–2) 1
Measurement, (3) 137
Microcalorimetry, (1–2) 91
β_2-Microglobulin, (3) 147
Microsequencing, (3) 105
Mitoxantrone, (3) 105

Non-end-capped sorbents, (1–2) 69

2-D PAGE, (1–2) 1
Pasteurisation, (1–2) 5
PCR monitoring, (3) 99
Phorbol-12-myristate-13-acetate (PMA), (1–2) 91
Phosphodiesterase, (3) 117
Plasma, (3) 137
Polymorphonuclear leukocytes (PMN), (1–2) 91
Polysaccharide of *Lycium barbarum* (LBP), (1–2) 91
Prion protein, (3) 159
Protein A, (1–2) 1

Quality control, (1–2) 5

Rat ileum, (1–2) 35
Rate constants, (1–2) 53
Respiratory burst, (1–2) 91
Reversed-phase HPLC, (1–2) 69
Ribosomal proteins, (1–2) 69
RNA isolation, (3) 131

Sample handling, (3) 137
Silk fibroin, (3) 159
Skin tissue, (3) 131
Stomach cancer, (3) 105
Storage, (3) 137
Subepithelial resistance, (1–2) 35
Substratum, (3) 159

Thermal denaturation, (3) 147
Thermus thermophilus, (1–2) 69
Transepithelial resistance, (1–2) 35

Ussing-chamber, (1–2) 35

S0165-022X(98)00041-1